

# Triameen YT

## Tallow dipropylenetriamine

Triameen YT is an alkyl triamine.

### Specifications

Amine number	390-415 mg KOH/g
Color	≤ 12 Gardner

### Characteristics

Appearance	Amber liquid/paste
Density	845 kg/m <sup>3</sup> at 60°C
Flash point, Pensky Martens Closed Cup	≥130 °C
Iodine value	33 g I <sub>2</sub> /100 g
Melting point	15-25 °C
Viscosity	4 mPa.s at 60°C
Water content	≤ 0.5%

#### Notes:

Typical Data are based on our own measurements or derived from the literature. They do not constitute part of the delivery specification.

## Packaging and transport

To maintain colour Triameen YT should be stored below, or, in the case of bulk storage, only slightly above the melting point/cloud point. Higher temperatures can be tolerated where colour maintenance is not of concern. If Triameen YT is handled and stored at temperatures near or below its melting point/cloud point there is a risk of separation. In such cases the entire amount should be heated until it melts and homogenizes. Even at ambient temperatures, amines can absorb carbon dioxide and water from the atmosphere. Absorbed carbon dioxide and moisture can be removed by heating the product above 100°C. Triameen YT should be handled with care. In order to avoid injuries, protective clothing, gloves and safety goggles should be used. Avoid contact with skin and inhalation of vapours. For further information on health and safety see our Safety Data Sheet.

All information concerning this product and/or suggestions for handling and use contained herein are offered in good faith and are believed to be reliable. Nouryon, however, makes no warranty as to accuracy and/or sufficiency of such information and/or suggestions, as to the product's merchantability or fitness for any particular purpose, or that any suggested use will not infringe any patent. Nouryon does not accept any liability whatsoever arising out of the use of or reliance on this information, or out of the use or the performance of the product. Nothing contained herein shall be construed as granting or extending any license under any patent. Customer must determine for himself, by preliminary tests or otherwise, the suitability of this product for his purposes. The information contained herein supersedes all previously issued information on the subject matter covered. The customer may forward, distribute, and/or photocopy this document only if unaltered and complete, including all of its headers and footers, and should refrain from any unauthorized use. Don't copy this document to a website.

TRIAMEEN is a registered trademark in many countries.

## Contact Us

### USA and Canada

Global Headquarters  
Chicago  
USA  
+1 312 544 7000  
ansc-cs@nouryon.com

### China

Regional Headquarters  
Shanghai  
China  
+86 21 2220 5000  
surfactants.asia@nouryon.com

### Europe

Regional Headquarters  
Stenungsund  
Sweden  
+46 303 850 00  
surfactants.europe@nouryon.com

### South East Asia

Regional Headquarters  
Singapore  
+65 6635 5183  
surfactants.asia@nouryon.com

### South America

Regional Sales Office  
Itupeva  
Brazil  
+55 11 4591 8938

The Nouryon logo consists of a stylized orange 'N' followed by the word 'ouryon' in a lowercase, sans-serif font, all in orange.